

PI-Project # (Andrews-02)-Each CMS Project is represented by its color and identified by the PI on the project



Proof of Applications

Concept

Solid color: each solid bar is indicative of where the PI feels their project is NOW in terms of application readiness.

Pattern fill: indicates the level each PI is striving for and the application readiness level they feel their project can ultimately satisfy.

Gradient fill: indicates current level has not been reached fully.

Fatoyinbo-01 Products

Mangrove canopy height


Mangrove forest biomass estimates

Mangrove forest extent maps

Mangrove forest cover change maps

SY 2014

Basic Research



Validation in Relevant

Environment

Application of Prototype in

Partner's Operational Decision

Making

NASA Application Readiness Levels (ARLs)

ARLs describe where the CMS product is currently in terms of readiness, as well as the desired and potential level as defined by the CMS Product Scientist.

The ARLs were provided by the CMS Product Scientist and represent the most accurate representation of the state of each product.

Products can start at any level. It is not expected they will start at ARL1 and end at ARL9.

ARLs

Approved, Operational

Deployment, & Use in

Decision Making

PI-Project # (Andrews-02)-Each CMS Project is represented by its color and identified by the PI on the project

Basic Research

Solid color: each solid bar is indicative of where the PI feels their project is NOW in terms of application readiness.

Pattern fill: indicates the level each PI is striving for and the application readiness level they feel their project can ultimately satisfy.

Gradient fill: indicates current level has not been reached fully.

Validation in Relevant

Environment

Hudak-01 **Products**

Aboveground biomass maps **Estimates** of bias between biomass predictions and FIA observations summarized for representative vegetation types Initial I&V in Laboratory Demonstration in **Application Completed Applications Concept** Relevant Environment and Qualified Environment ARL-1 ARL-7 ARL-2 ARL-3 ARL-4 ARL-5 ARL-6

Proof of Applications

Concept

NASA Application Readiness Levels (ARLs)

ARLs describe where the CMS product is currently in terms of readiness, as well as the desired and potential level as defined by the CMS Product Scientist.

The ARLs were provided by the CMS Product Scientist and represent the most accurate representation of the state of each product.

Products can start at any level. It is not expected they will start at ARL1 and end at ARL9.

SY 2014

Application of Prototype in Partner's Operational Decision Making

ARL-8

Approved, Operational Deployment, & Use in **Decision Making**

ARL-9

ARLs

PI-Project # (Andrews-02)-Each CMS Project is represented by its color and identified by the PI on the project



Solid color: each solid bar is indicative of where the PI feels their project is NOW in terms of application readiness.

Making

Pattern fill: indicates the level each PI is striving for and the application readiness level they feel their project can ultimately satisfy.

Gradient fill: indicates current level has not been reached fully.

Jacob-02 Products

Anthropogenic

and natural methane emission estimates (0.25°x0.33° res)


Anthropogenic

and natural methane emission estimates (4° x 5° res)

Gridded

inventory of North American methane emissions

SY 2014



NASA Application Readiness Levels (ARLs)

ARLs describe where the CMS product is currently in terms of readiness, as well as the desired and potential level as defined by the CMS Product Scientist.

The ARLs were provided by the CMS Product Scientist and represent the most accurate representation of the state of each product.

Products can start at any level. It is not expected they will start at ARL1 and end at ARL9.

ARLs

Decision Making

PI-Project # (Andrews-02)-Each CMS Project is represented by its color and identified by the PI on the project



Solid color: each solid bar is indicative of where the PI feels their project is NOW in terms of application readiness.

Pattern fill: indicates the level each PI is striving for and the application readiness level they feel their project can ultimately satisfy.

Gradient fill: indicates current level has not been reached fully.

Lohrenz-01 **Products**

Associated uncertainties


Estimates of land-ocean fluxes of organic and inorganic carbon, nitrogen, and water

Estimates/maps of landatmosphere fluxes of carbon dioxide and methane

Estimates/maps of oceanatmosphere fluxes of carbon dioxide

Estimates/maps of terrestrial carbon stocks

Geospatial portals for sharing developed carbon data products



NASA Application Readiness Levels (ARLs)

ARI's describe where the CMS product is currently in terms of readiness, as well as the desired and potential level as defined by the CMS Product Scientist.

The ARLs were provided by the CMS Product Scientist and represent the most accurate representation of the state of each product.

Products can start at any level. It is not expected they will start at ARL1 and end at ARL9.

SY 2014



ARL-9

ARLs

Proof of Applications Basic Research Concept

Validation in Relevant Environment

Application of Prototype in Partner's Operational Decision Making

Approved, Operational Deployment, & Use in **Decision Making**

PI-Project # (Andrews-02)-Each CMS Project is represented by its color and identified by the PI on the project



Concept

Solid color: each solid bar is indicative of where the PI feels their project is NOW in terms of application readiness.

NASA Application

Deployment, & Use in

Decision Making

Readiness Levels (ARLs)

ARI's describe where the

CMS product is currently

in terms of readiness, as well as the desired and

Pattern fill: indicates the level each PI is striving for and the application readiness level they feel their project can ultimately satisfy.

Partner's Operational Decision


Making

Gradient fill: indicates current level has not been reached fully.

Ott-01 Products

Maps of observationally constrained oceanatmosphere fluxes and associated uncertainties Maps of observationally constrained atmosphereland biosphere fluxes and associated uncertainties **Estimates** of uncertainty in fossil fuel emissions **Estimates** of atmospheric CO and CO2 including uncertainty due to flux and transport errors High-resolution global atmospheric CO and CO2 concentration reanalysis **High-resolution** global atmospheric CO and CO₂ concentration reanalysis

SY 2014



Environment

PI-Project # (Andrews-02)-Each CMS Project is represented by its color and identified by the PI on the project

Basic Research



Solid color: each solid bar is indicative of where the PI feels their project is NOW in terms of application readiness.

Pattern fill: indicates the level each PI is striving for and the application readiness level they feel their project can ultimately satisfy.

Gradient fill: indicates current level has not been reached fully.


Walker-W-01 **Products**

Maps of wall-to-wall changes in aboveground carbon density (500 m) Maps of wall-to-wall

changes in aboveground carbon density (375 m)

Maps of wall-to-wall changes in aboveground carbon density (30-250 m)

Accuracy assessment of the aboveground carbon density change products and derivative estimates of gross emissions



Concept

NASA Application Readiness Levels (ARLs)

ARLs describe where the CMS product is currently in terms of readiness, as well as the desired and potential level as defined by the CMS Product Scientist.

The ARLs were provided by the CMS Product Scientist and represent the most accurate representation of the state of each product.

Products can start at any level. It is not expected they will start at ARL1 and end at ARL9.

ARLs

SY 2014

ARL-7 ARL-8 ARL-9 **Proof of Applications**

Validation in Relevant Application of Prototype in Partner's Operational Decision Environment Making

Approved, Operational Deployment, & Use in **Decision Making**

Application Completed

and Qualified

PI-Project # (Andrews-02)-Each CMS Project is represented by its color and identified by the PI on the project



Concept

Solid color: each solid bar is indicative of where the PI feels their project is NOW in terms of application readiness.

Pattern fill: indicates the level each PI is striving for and the application readiness level they feel their project can ultimately satisfy.

Gradient fill: indicates current level has not been reached fully.


Williams-C-01 Products

Maps of forest carbon fluxes, with pixel-level information on predisturbance biomass, disturbance type, and disturbance severity

Maps of forest carbon stocks, with pixel-level information on forest type, site productivity, and age

Estimates of forecasted forest carbon stocks and fluxes under likely management and natural disturbance scenarios

SY 2014



Environment

Partner's Operational Decision

Making

NASA Application Readiness Levels (ARLs)

ARLs describe where the CMS product is currently in terms of readiness, as well as the desired and potential level as defined by the CMS Product Scientist.

The ARLs were provided by the CMS Product Scientist and represent the most accurate representation of the state of each product.

Products can start at any level. It is not expected they will start at ARL1 and end at ARL9.

ARLs

Deployment, & Use in

Decision Making

CMS Application Readiness Level Descriptions

Color Code	Applications Readiness Level	Description
	ARL-1	Basic research
	ARL-2	Applications Concept
	ARL-3	Proof of Applications concept
	ARL-4	Initial integration and verification in a laboratory environment
	ARL-5	Validation in relevant environment
	ARL-6	Demonstration in relevant environment
	ARL-7	Application of prototype in partners' operational decision making
	ARL-8	Application completed and qualified
	ARL-9	Approved, operational deployment, and use in decision making



Desired Level

START YEAR 2014 CMS PROJECTS

Project Group	Project Title	
Andrews-03	Regional Inverse Modeling in North and South America for the NASA Carbon Monitoring System	
Baker-01	A Global High-Resolution Atmospheric Data Assimilation System for Carbon Flux Monitoring and Verification	
Bowman-02	Continuation of the CMS-Flux Pilot Project	
Fatoyinbo-01	Total Carbon Estimation in African Mangroves and Coastal Wetlands in Preparation for REDD and Blue Carbon Credits	
Ganguly-01	Reducing Uncertainties in Satellite-Derived Forest Aboveground Biomass Estimates Using a High Resolution Forest Cover Map	
Greenberg-01	Reducing Uncertainties in Estimating California's Forest Carbon Stocks	
Hudak-01	Prototyping a Methodology to Develop Regional-Scale Forest Aboveground Biomass Carbon Maps Predicted from Landsat Time Series, Trained from Field and Lidar Data Collections, and Independently Validated with FIA Data	
Hurtt-03	High Resolution Carbon Monitoring and Modeling: Continuing Prototype Development and Deployment	
Jacob-02	High-Resolution Constraints on North American and Global Methane Sources Using Satellites	
Lohrenz-05	An Integrated Terrestrial-Coastal Ocean Observation and Modeling Framework for Carbon Management Decision Support	
Morton-01	Long-Term Carbon Consequences of Amazon Forest Degradation	
Ott-01	GEOS-Carb II: Delivering Carbon Flux and Concentration Products Based on the GEOS Modeling System	
Walker-W-01	Direct Measurement of Aboveground Carbon Dynamics in Support of Large-Area CMS Development	
Williams-C-01	Translating Forest Change to Carbon Emissions/Removals Linking Disturbance Products, Biomass Maps, and Carbon Cycle Modeling in a Comprehensive Carbon Monitoring Framework	
Windham-Myers-01	Linking Satellite and Soil Data to Validate Coastal Wetland 'Blue Carbon' Inventories: Upscaled Support for Developing MRV and REDD+ Protocols	